First Mobile Technologies

In-Vehicle Mounting Solutions | Docking Stations | Install Services



contact

JUMP to Table of Contents

tollfree 800.330.5399

phone 610.828.1492

fax 610.828.1195

email fmt.info@firstgroup.com

address

1013 Conshohocken Road, Suite 312

Conshohocken, PA 19428-0978

table of contents

(click on a section below to jump to that page)

contact information	2
mobile system: at a glance	4
installation services	5
docks and cradles	6-15
for Panasonic	6-7
for Dell	8-15
for universal use	16
tilt/swivel	17-18
top plate	19
poles	20
quality story	21
dedicated base mount selection	22-23
dedicated base mounts	24-35
universal base mounts	36-38
accessories	39-43
screen holders	39
console units	40-41
Pentax printer mounts	42
power supplies	43
policies	44
warranty	44
company history	45

First Mobile Technologies' products are interchangeable and allow you to build a solution that best fits your needs.

JUMP to Table of Contents

A basic system consists of the following items:

First*Dock*™ or First*Cradle*™

First*Cradle*™ is a secure device that locks your computer in place.

Two kinds of cradles exist:
dedicated |cradle designed exclusively for a particular model
universal |cradle designed to secure and fit any computer



First*Dock*™ secures your computer into place, while also providing inputs, or connectors for your computer peripheral devices, such as a scanner, bar code reader, keyboard, mouse, printer, etc.
all First*Docks* are dedicated

tilt/swivel

Attaches to the end of the top plate, allowing the computer to pivot and tilt and position the keyboard for user comfort.



top plate

Inserts into the top of the pole, providing a mounting surface for a docking station or cradle. Additionally, top plates allow the docking station to be moved side to side for easier user access.



pole

Provides the necessary height for the mounting system. Standard pole lengths are 9" and 14". Poles are made with sturdy 12-gauge poles and 7-gauge steel plates for bolting to the base.

base

Uses 7- to 11- gauge powder-coated steel—the most durable in the industry. The base secures the mounting solution to the vehicle.
Two kinds of bases exist:

dedicated | designed exclusively for a specific vehicle

universal | designed to mount to any flat surface, such as the vehicle floor or console box



Most bases can be installed without drilling, using existing seat bolt patterns

Installation Services

First Mobile Technologies' nationwide installation service enables us to install your solution whenever and wherever you need it.

With the experience of more than 50,000 installations, First Mobile Technologies has developed a level of process and installation expertise that is unmatched. In fact, we are the only mobile technology company that offers a comprehensive range of services.

JUMP to Table of Contents

project management

Installation projects can be complex and time-sensitive. As such, we offer dedicated resources to manage projects from conception to completion to ensure your fleet is returned to service as quickly as possible.

safety

We don't "tap in" to existing power sources that are used to power your critical systems. We use separate and distinct wiring to power your mobile solution. It's safer for the operation of your equipment and safer for you.

preassembly

Unlike our competitors, we can pre-assemble our mounting equipment so it ships out to your location ready to go. This ensures the installation process moved quickly and flawlessly.

train the trainer

We are happy to provide training services to enable your personnel to offer installation training throughout your organization.

nationwide coverage

We can deploy our installation teams to your location, or we can coordinate an install at one of our facilities.

Docks and Cradles [for Panasonic™]

JUMP to Table of Contents

CF-19 Toughbook First*Dock*™

also compatible with CF-18 Panasonic Toughbook
Part # FM-D-CF19

CF-30 Toughbook First*Dock*™

also compatible with CF-29 Panasonic Toughbook
Part # FM-D-CF30

Panasonic dock features

Durable Design
Engineered and tested to a military standard (MIL-STD-810F), the benchmark for vibration and crash resistance certification

Dock plate is made with 11-gauge steel
to withstand the toughest environment and aesthetic powder-coated finish to hide finger prints and scratches

Closes Completely
Laptop lid closes completely while docked

DC/DC power supply
Exclusively for in-vehicle use

Screen holder
Ensures computer screen remains in a fixed position

Tilt-Swivel device
Vertically and horizontally rotates computer for optimal positioning

Warranty
3-Year Standard Warranty on FMT In-Vehicle docks

Full Port Replication
One simple connection provides access to 13 expansion ports including: VGA, DVI, S-Video, Parallel, Serial, PS/2 (Mouse and Keyboard), S/PDIF, USB 2.0 (x4), RJ-11, and RJ-45. RF pass-thrus optional

Power/Charge Capabilities
While docked, the laptop will be powered and will charge the internal battery

Key Lock System
Engages and secures the computer to the First Mobile Technologies docking station. Dedicated undock button and indicator provides quick, safe undocking

Lock and easy release feature

Accessories
FMT offers a wide range of docking accessories to complete your mobile technology requirements. Includes a variety of in-vehicle docking elements (power/charge options, consoles, mounting hardware and other support elements)

[Steel Dock Plate (page 7) is required for all Panasonic First*Docks*]

Docks and Cradles [for Panasonic™]

JUMP to Table of Contents

CF-52 Toughbook First Mobile™ Docking Tray

Part # FM-DT-CF52

Full Port Replication
Designed for use with the Panasonic Port Replicator (required), which can also be purchased through your FMT salesperson (Part #CF-VEB522M), the CF-52 Docking Tray provides full access to USB connectors (4), DisplayPort, RJ-45, serial, AC jack, power button, cable lock slot, and slide release.

Warranty
3-Year Standard Warranty on all metal parts

Key Lock System
for theft prevention, added stability & security

CF-30 Toughbook First*Cradle*™

Part # FM-C-CF30

Made with 11-gauge steel
for vibration resistance and safety and non-glare surface finish for maximum in-vehicle usability

Full access to Toughbook functionality
including all ports, card slots and drive bays

CF-19 Toughbook First*Cradle*™

also compatible with CF-18 Panasonic Toughbook
Part # FM-C-CF19



Non-Glare Surface Finish
Ultra-strong, 11-gauge steel is powder-coated for minimal glare and maximum durability

Rear Key Lock System prevents theft while safely holding the Panasonic CF-18 Toughbook in place

A Secure Fit for both CF-18 and CF-19 Toughbooks

Steel Dock Plate

Sits below the Panasonic Port Replicator for the most rugged support; **required for all Panasonic First*Docks*.**

Computer	Part #
CF 19	FM-DP-19
CF 28 / CF 29	FM-DP-07
CF 30	FM-DP-07-2

Docks and Cradles [for Dell™]

JUMP to Table of Contents

E6400XFR™ Notebook First*Dock*™

(First*Cradle* also available for the E6400XFR Notebook: see page 12)

Part #'s: FM-D-XFR-E
FM-D-XFR-E-RF
FM-D-XFR-E-W/PS
FM-D-XFR-E-W/PS-RF

Superior Functionality
The new E-XFR First*Dock* custom docking station includes several exclusive features:

Internal power supply option available.

Option to add 3 RF Pass Thru's (this feature only available on XFR models *FM-D-XFR-E-RF* and *FM-D-XFR-E-W/PS-RF*) Provides external (vehicle mounted) antenna connection capabilities (TNC) for XFR notebooks with integrated WiFi (802.11) and/or Broadband radios

Includes user-friendly custom ports: a USB port in the front of the dock (6 total), as well as 2 serial ports for greater convenience. Other available ports include a network connector, 2 audio connectors,AC adapter, VGA connector, DVI connector, paralell connector, eSATA connector, E-monitor connector, and mouse and keybord connectors

Durable Design: Tested to military standard (MIL-STD 810F) and Standard of Automotive Engineers (SAE J1455) – the ultimate benchmark for vibration and crash resistance certification.

Equipped with screen holder for added stability (included free with all Dell E-Series First*Docks* and First*Cradle* XFR models)

Key lock for increased security

Powder-coated finish protects from sun glare, smudges and scratches

Optimal footprint provides maximum user space

Computer closes completely in locked position

Quality construction: Made of heavy-gauge metal to withstand the toughest environments

[E-Series First*Docks* Let Dell Notebooks "Breathe Easy"]

JUMP to Table of Contents

E6400 | E6410 | E6400ATG | E6410ATG Notebook First*Dock*™

Part # FM-D-E6400
or # FM-D-E6400-W/PS

Durable and Functional Design

The new E-ATG First*Dock* custom docking station includes the same dynamic features of the E-XFR model (see page 8 for more details), however the E-ATG is not RF Pass Thru-compatible.

Internal Power Supply Option available for all Dell-dedicated E-Series First*Docks* (part # FM-D-XFR-E-W/PS and #FM-D-E6400-W/PS)

Screen Holder (not pictured) included with all Dell E-Series First*Dock* and First*Cradle* XFR models.

[New Safe-Release "Undock and Go"™ Mechanism]
When the key is turned and the release button pressed, two recessed, cushioned ejector pads raise simultaneously on either side of the connection, gently releasing the computer from the E-Series First*Dock*. The computer remains on and active.

[Dell™ E/Port Station Functionality]
Both XFR and ATG First*Docks* use one simple connection that provides access to 15 expansion ports (including 1 front, 3 side, and 2 rear USB ports).

Options and Accessories

FMT offers a wide range of docking accessories to complete your mobile technology requirements. Power options include the Hardwired DC power supply for the Dell Latitude E-Series (FM-PWR-DLH-E) or the Cigarette plug DC power supply for the Dell Latitude E-Series (FM-PWR-DLC-E).

JUMP to Table of Contents

E6400 | E6410 | E6400ATG | E6410ATG Notebook FirstCradle*Plus*™

Part # FM-CP-ATG-E

[non-glare surface finish] for maximum in-vehicle usability

[made with heavy-gauge metal] for vibration resistance and safety.

[scratch resistant clamps] to protect and secure the computer. Clamps come in four different sizes (and colors) to fit the E6400 or E6400ATG, either with or without a port replicator.

[key lock system] Engages and secures the Dell Notebook to the FirstCradle*Plus* for increased safety and security.

Expandable to suit your needs
The new FirstCradle*Plus* for the Dell E6400, E6410, E6400ATG, and E6410ATG can function alone as a cradle, and by adding the Dell E-Series Standard (or Advanced) Port Replicator, you gain the features of a full vehicle docking station.

Durable Design: Tested to military standard (MIL-STD 810F) and Standard of Automotive Engineers (SAE J1455) – the ultimate benchmark for vibration and crash resistance certification.

Optional Screen Holder available for added safety and stability

Key lock for increased security

Powder-coated finish protects from sun glare, smudges and scratches

Optimal footprint provides maximum user space

Computer closes completely in locked position

Quality construction: made of heavy-gauge metal to withstand the toughest environments

Warranty: Full 3-Year Warranty on all metal products.

Docks and Cradles [for Dell™]

JUMP to Table of Contents

E6400 | E6410 | E6400ATG | E6410ATG Notebook FirstCradle*Plus*™

(**Pictured below with the Dell Advanced Port Replicator, sold separately by Dell.**
The FirstCradle*Plus* is also compatible with the Dell Standard Port Replicator, also sold separately by Dell.)

[Optional Dell Advanced Port Replicator]
Attaches to the FirstCradle*Plus* to add the connectivity and features of a full vehicle docking station (sold separately by Dell).

[optional accessories]

Hardwired DC Power Supply for Dell Latitude E-Series

Part # FM-PWR-DLH-E

First Mobile Technologies doesn't "tap-in" to existing power sources that are used to power your critical systems. We use separate and distinct wiring to power your mobile solution. It's safer for the operation of your equipment and safer for you.

Cigarette Plug DC Power Supply for Dell Latitude E-Series

Part # FM-PWR-DLC-E

This optional accessory allows the user to utilize the vehicle's power supply to run the laptop without the need for hardwiring.

Brackets for Dell E-Series Advanced Port Replicator

Part # FM-CP-EXT-TABS

While the Dell Standard Port Replicator needs no additional hardware, First Mobile Technologies can provide the additional brackets necessary to utilize Dell's Advanced Port Replicator with the FirstCradle*Plus*.

JUMP to Table of Contents

First*Dock*™ for the Latitude™ XT2 XFR Tablet

Part #'s: FM-D-XFR-XT2
FM-D-XFR-XT2-RF

Built-in 8x DVD±RW Drive that reads *and* writes to CDs and DVDs

Option to add 3 RF (antenna) Pass Thru's for the functionality you require (Part # FM-D-XT2-XFR-RF)

Available ports include a serial connector, audio connector, 4 USB 2.0 (2 rear, 1 side, and 1 front) connectors, an AC adapter, VGA connector, DVI connector, eSATA connector, RJ-45 network connector, and a 1394 (firewire) connector

Durable design tested to military standard (MIL-STD 810F) and Standard of Automotive Engineers (SAE J1455) – the ultimate benchmark for vibration and crash resistance certification.

Key lock for increased security

Aesthetic powder-coated finish protects from smudges and scratches

Optimal footprint provides maximum user space

[Triple RF Pass-Thru Option]
Connects Wireless WAN, GPS, and Wireless LAN antennas

[in-dock DVD±RW drive]
reads and writes to CDs and DVDs

[conveniently placed USB ports]
One front, one side, and two rear USB connectors allow easy access when connecting perepherials to your First*Dock* XT2 XFR

[key lock system]
Deters theft by securing the XT2 XFR Tablet to the First*Dock*

JUMP to Table of Contents

E6400XFR Notebook First*Cradle*™

Part # FM-C-XFR-E

[optimal footprint]
Custom designed for the Dell Latitude E6400 XFR Notebook to provide maximum in-vehicle user space



[scratch resistant clamps]
to protect and secure the computer while driving.

[key lock system]
Deters theft by securing the XFR Notebook to the First*Cradle*, and allows for easy placement and removal of computer

Rugged Design for a Ruggedized Computer: Tested to military standard (MIL-STD 810F) and Standard of Automotive Engineers (SAE J1455) – the ultimate benchmark for vibration and crash resistance certification.

Equipped with screen holder for added stability (included free with all Dell E-Series First*Dock* and First*Cradle* XFR models)

Key lock for increased security

Powder-coated finish protects from sun glare, smudges and scratches

Computer closes completely in locked position

Quality construction: made of heavy-gauge metal to withstand the toughest environments

Warranty: Full 3-Year Warranty on all metal products

Docks and Cradles [for Dell™]

JUMP to Table of Contents

D630 XFR™ Notebook First*Dock*™

Part # FM-D-XFR

D620 | D630 | ATG Notebook First*Dock*™

Part # FM-D-D620

Features RF Pass-Thru (FM-D-XFR-RF Dock Only)
Provides external (vehicle mounted) antenna connection capabilities (TNC) for XFR notebooks with integrated WiFi (802.11) and/or Broadband radios (Only available for the Latitude XFR D630)

Rugged Design
Engineered and tested to a military standard (MIL-STD-810F), the benchmark for vibration and crash resistance certification

"Undock and Go"™ Feature
For easy transition from dock/undock status – Notebook remains on and active

Key Lock System
Engages and secures the Dell notebook to the First Mobile Technologies docking station. Dedicated undock button and indicator provides quick, safe undocking

Closes Completely
Laptop LCD closes completely while docked

Tilt-Swivel device
Vertically and horizontally rotates computer for optimal positioning

Non-glare surface finish for maximum in-vehicle usability

Scratch resistant clamps for touch points with computer

Made with 16-gauge steel for vibration resistance and safety

Warranty
1-Year Standard Warranty on FMT In-Vehicle Docks. Optional 2- to 3-Year Warranty available.

Accessories
FMT offers a wide range of docking accessories to complete your solution, including a variety of in-vehicle docking elements (power/charge options, consoles, mounting hardware and other support elements)

[Dell™ D/Port Station Functionality]
One simple connection provides access to 13 expansion ports including:

VGA, DVI, S-Video
Parallel, Serial
PS/2 (Mouse and Keyboard)
S/PDIF
USB 2.0 (x3)
RJ-11, and RJ-45

JUMP to Table of Contents

D620 | D630 | ATG Notebook First*Cradle*™

Part # FM-C-D620

[scratch resistant clamps]
for touch points with computer

[non-glare surface finish]
for maximum in-vehicle usability

[made with 16-gauge steel]
for vibration resistance and safety.

Closes Completely Laptop lid closes completely while docked.

[key lock system]
Engages and secures the Dell Notebook to the First Mobile Technologies docking station. Dedicated undock button and indicator provides quick, safe undocking



[screen holder]

Part # FM-SC
ensures computer screen remains in a fixed position

[allows full access to all existing computer ports]

Docks and Cradles [for Universal use]

JUMP to Table of Contents

New First*Cradle*™ Universal

Part # FM-C-UNIV2

One Size Fits All
Small enough to fit a 9.25" Netbook, for secure and affordable in-vehicle computing. Expands to over 15.5" to securely hold almost any size notebook computer on the market

[back view]

Steel Housing, 0.078-inch thick, to withstand the toughest environment.

Innovative locking mechanism (patent pending) that locks the sliding tray in any position to securely hold computers of varying widths.

Six Adjustable Touch-Points allow variable bracket height and position to secure your computer in the safest possible position

Provides full access to computer functionality such as ports, card slots, and drive bays on most computers

Warranty
Full 3-year warranty on all metal components

[optional accessories]

Screenholder

Part # FM-SC-UNIV2

Attaches to the side of the First*Cradle* Universal to securely hold the laptop screen in virtually any open position.

Mini Brackets

Part # FM-BKT-UNIV2

Designed for use with smaller notebook or netbook computers, these rear mini brackets replace the standard, full-sized brackets in the rear of the First*Cradle* Universal for a safer, more secure fit.

Tilt / Swivel

Attaches to the end of the top plate, allowing the computer and dock to pivot and tilt for optimal positioning and user comfort with positive lock feature and 0-80° of tilt and 360° of swivel. Extra long handle for ease of use available in the FM-TS-L.

Part #	Length
FM-TS-S	9.5”
FM-TS-L	10.5”

JUMP to Table of Contents

[tilt/swivel accessories]

Base Plate

Base plate mounts onto a vertical surface or console box. Made of 11-gauge powder-coated steel, the base plate supports the tilt/swivel and docking station instead of a standard vehicle base mount

Part #
FM-TSB

Bracket

Bracket allows for rotation and extension of docking station **when the base plate is used** instead of a standard vehicle base mount.

Part #	Length
FM-BKT-X	7-3/4”
FM-BKT-X15	9”
FM-BKT-X40	12”

Tilt / Swivel

[tilt/swivel accessories - continued]

JUMP to Table of Contents

Spacer Block

Spacer Block is designed to be used between existing mounting equipment and tilt swivel to add 1.5” of additional height

Part #
FM-SPBLK

Universal Mounting Plate Adapter

The Universal Mounting Plate Adapter is designed to attach any First*Dock* or First*Cradle* to a competitor’s mounting equipment. Comes with instructions and examples of various competitors’ mounting patterns for easy installation.

Part #
FM-UNIV-ADPT

Isolator Plate

The Isolator Plate is used between the universal docking tray and a tilt-swivel device to isolate shock and vibration. This unit is designed to be used with all Dell E-Series First*Docks* and First*Cradles*, and is also compatible with most other FMT docking solutions.

Part #
FM-ISO-E-DOCK

Top Plates

Top plates provide vertical and horizontal movement to allow the user to move the laptop between the driver and passenger.

JUMP to Table of Contents

6” Top Plate

Six-inch Top Plate is designed for insertion into pole assembly

Part #

FM-TOP-06

9” Top Plate

Nine-inch Top Plate features a swing arm. Set collar keeps the tube adjusted to the correct height while rotational adjustments are made

Part #

FM-TOP-09

12” Top Plate

Twelve-inch Top Plate features a swing arm. Set collar keeps the tube adjusted to the correct height while rotational adjustments are made. A **Twelve-inch Top Plate Slide** is also available, which slides open to extend the Top Plate to a full 16”.

Part #’s

Standard: FM-TOP-12M (pictured at right)

Slide: FM-TOP-12S (not pictured)

12” Articulating Arm Top Plate

Articulating Arm Top Plates feature a two piece design that allows for greater flexibility in positioning. In addition to the 12-inch version pictured at right, a 16-inch Articulating Arm Top Plate is also available.

Part #’s

12-inch: FM-TOP-AARM (pictured at right)

16-inch: FM-TOP-AARM-16 (not pictured)

Poles [for Universal use]

JUMP to Table of Contents

Poles attach to the various base mounts and set the height of the overall mount configuration. Poles are made with sturdy 12-gauge poles and 7-gauge steel plates for bolting to the base.

Pole Bottom

Part #	Length
FM-P-05	5”
FM-P-09	9”
FM-P-14	14”

Pole bottom attaches to vehicle base mount

Rack-to-Post Mount

Part #
FM-RP

Rack-to-Post Mount attaches modems or other equipment to the base of any pole

[poles come in 5”, 9” and 14” lengths and can be cut down to size]

[our quality story]

JUMP to Table of Contents

“ First Mobile Technologies is a **quality** company that services its customer in a timely manner. They **go out of their way** to meet customer needs and provide a high quality product. ”

Mel Bauernfeind

Baltimore County Electric Services

“ The **quality** of First Mobile hardware and **experience** and **skill** of their professional installers is an integral part of the solutions we offer to the emergency responder marketplace. ”

John Fix, President

Iron Compass Map Company

Base Mounts

First Mobile Technologies has more dedicated base mounts than anyone in the industry.

JUMP to Table of Contents

To identify the base mount that works best with your vehicle, locate the make | model | year of your vehicle and read across to the corresponding part number. If your vehicle is not listed, or you need to mount to a boat, forklift, or other vehicle application, call your First Mobile Technologies sales representative to help you find a mobile solution that best fits your needs.

Make	Model	Year	Bucket or Bench seating	Drill Required	Passenger Seat Mount	Part Number
Chevrolet/ GMC						
	Blazer S-10 Series	1994-2002	Bucket			FM-B-BLZ
		1994-2002	Bucket		x	FM-BP-BLZ
	CK-1500-CK3500	2000-2007	Both	YES		FM-B-CK2
	Silverado/Sierra	2007-newer [new body style]	Both			FM-B-CK3
			Bucket		x	FM-BP-10
	Colorado/Canyon	All model years	Both			FM-COL-H
		All model years	Both		x	FM-COL-S
	Envoy/Trailblazer	2001-newer	Both		x	FM-B-ENV
	Impala	2000-2005	Bucket	YES	x	FM-BP-IMP
		2006-newer	Both	YES	x	FM-B-IMP2
	Suburban/Tahoe/ Yukon	2001-2006	Both			FM-B-CK2
		2001-newer	Bucket		x	FM-BP-TAH
	Topkick	2003-newer	Both	YES		FM-B-52
	Vans-Astro	1998-newer	Bucket	YES		FM-B-52
	Vans-Fullsize	1998-newer	Bucket	YES		FM-B-52
		2004-newer	Bucket		x	FM-B-58
Dodge/ Chrysler						
	Avenger	2008-newer	Bucket		x	FM-B-AVENGER
	Caravan	2008-newer	Bucket		x	FM-B-CARAVAN
	Charger/ Magnum/ 300	2005-newer	Bucket			FM-B-CHGR
	Dakota	2000-newer	Bucket			FM-B-DUR
	Durango	2000-2003	Bucket			FM-B-DUR
		2004-newer	Bucket			FM-B-DUR2

Base Mounts

Make	Model	Year	Bucket or Bench seating	Drill Required	Passenger Seat Mount	Part Number
Dodge/ Chrysler (continued)						
	Ram	2003-newer	Both			FM-B-RM3
		2003-2004	Bucket	YES		FM-B-RM4W
		2005-newer	Bucket			FM-B-RM4W2
	Sprinter		Bucket			FM-B-Sprinter
Ford						
	Crown Victoria	All model years	Both			FM-B-CV
		All model years	Bucket		x	FM-BP-12
	Escape	2005-newer	Bucket			FM-B-ESC
	Excursion	2000-newer	Bucket			FM-B-EXC
	Expedition	2000-2002	Both			FM-B-EXPD2
		2003-newer	Bucket			FM-B-EXPD3
	Explorer	1999-newer	Both			FM-B-RAN2
		2001-older	Both		x	FM-B-EXPLS
		2002-newer	Both			FM-B-EXPL2
	F-Series F150	2001-2003	Both			FM-B-FS2
		2004-newer	Both		x	FM-B-FS-S
		2004-newer	Both			FM-B-FS-H
	F Series (SD)	2000-newer	Both			FM-B-FSD-H
		2000-newer	Bucket		x	FM-B-EXC
	Ranger	1999-newer	Both			FM-B-RAN2
		All years	Bucket		x	FM-B-EXPLS
	Vans: Aerostar Freestar	1998-newer	Bucket	YES		FM-B-52
	Vans: Econoline Series	2002-newer	Bucket		x	FM-B-54
	Vans: Transit Connect	2010-newer	Bucket		x	FM-BP-TRA NSIT
Freightliner						
	Freightliner	2009-newer	Not Applicable	YES		FM-B-FR8-M2
Jeep						
	Cherokee	1997-newer	Bucket		x	FM-B-JEEP
	Grand Cherokee	1998-2005	Bucket		x	FM-B-CHER
		2006-newer	Bucket		x	FM-B-CHER2
	Liberty	All model years	Bucket		x	FM-BP-12
Toyota						
	Highlander	2007-newer	Bucket		x	FM-B-HIGHLANDER

JUMP to Table of Contents

Dedicated Base Mounts [for Chevrolet/GMC]

JUMP to Table of Contents

Blazer S-10 Series

Hump Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-BLZ	**Bucket**	**No**	**5" or 9"**	**6", 9" or 12"**

Passenger Side Base and Pole Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-BP-BLZ	**Bucket**	**No**	**included**	**6", 9" or 12"**

Canyon/Colorado

Hump Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-COL-H	**Both**	**No**	**5", 9" or 14"**	**6", 9" or 12"**

Side Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-COL-S	**Both**	**No**	**5", 9" or 14"**	**6", 9" or 12"**

Dedicated Base Mounts [for Chevrolet/GMC]

JUMP to Table of Contents

CK1500-CK3500

Hump Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-CK2	**Both**	**Yes**	**5", 9" or 14"**	**6", 9" or 12"**

Silverado/Sierra

Hump Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-CK3	**Both**	**No**	**5" or 9"**	**6", 9" or 12"**

Passenger Seat Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-BP-10	**Bucket**	**No**	**9" or 14"**	**6", 9" or 12"**

Envoy/ Trailblazer

Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-ENV	**Both**	**No**	**5", 9" or 14"**	**6", 9" or 12"**

Dedicated Base Mounts [for Chevrolet/GMC]

JUMP to Table of Contents

Impala

Passenger Side Base and Pole Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-IMP	**Both**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Passenger Side Base and Pole Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-IMP2	**Both**	**Yes**	**5”, 9” or 14”**	**6”, 9” or 12”**

Suburban/Tahoe

Hump Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-CK2	**Both**	**Yes**	**5”, 9” or 14”**	**6”, 9” or 12”**

Hump Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-CK3	**Both**	**Yes**	**5”, 9” or 14”**	**6”, 9” or 12”**

Dedicated Base Mounts [for Chevrolet/GMC]

JUMP to Table of Contents

Suburban/Tahoe

Passenger Side Base and Pole Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-BP-TAH	**Bucket**	**No**	**included**	**6", 9" or 12"**

Topkick/ Vans: Astro and Fullsize

Flat floor Base and Pole Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-52	**Both**	**Yes**	**included**	**6", 9" or 12"**

Passenger Seat Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-58	**Bucket**	**No**	**included**	**6", 9" or 12"**

[for Dodge]

Avenger

Passenger Side Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-AVENGER	**Bucket**	**No**	**5" or 9"**	**6", 9" or 12"**

Dedicated Base Mounts [for Dodge]

JUMP to Table of Contents

Caravan

Side Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-CARAVAN	**Bucket**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Charger/Magnum/300

Side Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-CHGR	**Bucket**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Dakota/Durango

Side Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-DUR	**Bucket**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Durango

Side Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-DUR2	**Bucket**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Dedicated Base Mounts [for Dodge]

JUMP to Table of Contents

Ram

Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-RM3	**Both**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-RM4W	**Bench**	**Yes**	**5”, 9” or 14”**	**6”, 9” or 12”**

Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-BP-RM4W2	**Bucket**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Sprinter

Passenger Seat Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-SPRINTER	**Bucket**	**No**	**5” or 9”**	**6”, 9” or 12”**

[for Ford]

Crown Victoria

Hump Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-CV	**Both**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Dedicated Base Mounts [for Ford]

JUMP to Table of Contents

Crown Victoria

Base and Pole Passenger Side Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-BP-12	**Bucket**	**No**	**included**	**6", 9" or 12"**

Escape

Passenger Side Seat Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-ESC	**Bucket**	**No**	**5" or 9"**	**6" or 9"**

Excursion

Passenger Side Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-EXC	**Bucket**	**No**	**5", 9" or 14"**	**6", 9" or 12"**

Expedition

Side Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-EXPD2	**Both**	**No**	**5", 9" or 14"**	**6", 9" or 12"**

Dedicated Base Mounts [for Ford]

JUMP to Table of Contents

Expedition

Side Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-EXPD3	**Bucket**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Explorer/ Ranger

Hump Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-BP-RAN2	**Both**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Side Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-EXPLS	**Bucket**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Side Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-EXPL2	**Bucket**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Dedicated Base Mounts [for Ford]

JUMP to Table of Contents

F-Series F150

Side Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-FS2	**Both**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Side Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-FS-S	**Bucket**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Hump Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-FS-H	**Both**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

F-Series F250/ 350/ 450

Hump Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-FSD-H	**Both**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Dedicated Base Mounts [for Ford]

JUMP to Table of Contents

F-Series F250/ 350/ 450

Side Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-EXC	**Bucket**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Ranger

Hump Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-BP-RAN2	**Both**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Side Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-EXPLS	**Bucket**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Vans: Aerostar, Freestar

Flat Floor Base and Pole Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-52	**Both***	**Yes**	**included**	**6”, 9” or 12”**

Dedicated Base Mounts [for Ford]

JUMP to Table of Contents

Vans: Econoline Series

Flat Floor Base and Pole Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-54	**Both**	**Yes**	**included**	**6”, 9” or 12”**

Vans: Transit Connect

Base and Pole Passenger Side Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-BP-TRANSIT	**Bucket**	**No**	**included**	**6”, 9” or 12”**

[for Freightliner]

Freightliner

Side Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-FR8-M2	**N/A**	**Yes**	**9”, 12” or 14”**	**6”, 9” or 12”**

[for Jeep]

Cherokee

Side Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-JEEP	**Bucket**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Dedicated Base Mounts [for Jeep]

JUMP to Table of Contents

Grand Cherokee

Side Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-CHER	**Both**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Side Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-CHER2	**Bucket**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Liberty

Base and Pole Side Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-BP-12	**Bucket**	**No**	**12” included**	**6”, 9” or 12”**

[for Toyota]

Highlander

Side Base Mount

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-HIGHLANDER	**Bucket**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Universal Base Mounts

JUMP to Table of Contents

Flat Floor Base and Pole Mount

Flat Floor Base and Pole Mount is designed for vehicles with high seats, such as vans, trucks and fire engines. Also available with a 36” post.

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-52	**Both***	**Yes**	**included**	**6”, 9” or 12”**

[Support Accessories for Universal Base Mounts]

Quick Removal Mounting Base

The Quick Removal Mounting Base for the FM-B-52 allows for quick removal of equipment. Can be used as base of any pole, but specifically designed for the FM-B-52.

Part #
FM-BQ-52

Floor Support Bracket

Floor Support Bracket for the FM-B-52 adds structural support when mounting equipment in larger vehicles.

Part #
FM-BKT-52

Support Tube

Support Tube stabilizes the mount in high vibration areas. For use with any pole mount.

Part #
FM-SUPRT-52

Voltage Protection Unit Steel Cover

Voltage Protection Unit Steel Cover protects the power supply that feeds into the docking system.

Part #
FM-P-COV

Universal Base Mounts

JUMP to Table of Contents

Passenger Base Mount

Passenger Base Mount allows equipment to be mounted close to the vehicle hump.

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-69	**Both**	**Yes**	**5”, 9” or 14”**	**6”, 9” or 12”**

Wall Base Mount

Wall Base Mount allows equipment to be mounted to vertical surfaces or the sides of large vehicles such as trucks or vans, while providing added support.

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-PW-13	**Both**	**Yes**	**included**	**6”, 9” or 12”**

Adjustable Seat Mount

Adjustable Seat Mount fastens into the passenger seat using safety seat belt for security. It provides a platform for the tilt/ swivel. Portable and lightweight, it can be easily installed and removed.

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-SEATADJ	**Both**	**No**	**5”, 9” or 14”**	**6”, 9” or 12”**

Quick Removal Base Mount

Quick Removal Base Mount allows for quick removal of equipment and can be used as the base of any pole.

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-BQ-P	**Both**	**Yes**	**Any**	**NA**

Universal Base Mounts

JUMP to Table of Contents

Vertical Surface Base Mount

Vertical Surface Base Mount is designed for the sides and vertical surfaces where space is limited, or to existing console areas.

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-08	**NA**	**Yes**	**Included**	**6”, 9” or 12”**

Horizontal Surface Base Mount

Horizontal Surface Base Mount is designed to be mounted where space is limited, such as desktops, buses and fire engines.

Part #	Bucket/ Bench	Drilling Required	Pole Required	Top Plate Required
FM-B-56	**NA**	**Yes**	**No**	**No**

Floor Support Bracket

Floor Support Bracket for the FM-B-56 and the **FM-B-08** adds structural support when mounting equipment to larger vehicles.

Part #
FM-BKT-56

Accessories [screen holders]

JUMP to Table of Contents

Screen holders add ease to your mobile computing by securing your screen in place.

Available for the following computers:

- Panasonic CF-29, CF-30, & CF-52
- Dell 620/ 630/ ATG
- Dell D-XFR
- Dell E6400 Series
- Dell Latitude XT2 XFR

An adjustable screen holder is available for all other computer models.

Accessories [console units]

JUMP to Table of Contents

Console Box Universal Base Plate

Console Box Universal Base Plate provides a platform for mounting brackets, poles and console boxes. It is designed so wiring can be fed from underneath for convenience. It is also threaded for easy pole assembly.

Part #
FM-B-PLATE

Leg Kits

Leg kits are for use with the Console Box Universal Base Plate [FM-B-Plate]. and attach to seat bolts. No drilling is required for most vehicle models.

Vehicle models	Part #
Suburban | Tahoe	**FM-L-CK2**
Silverado | Sierra	**FM-L-CK3**
Crown Victoria	**FM-L-CV**
Durango [‘00-’03]	**FM-L-DUR**
Durango [‘04-newer]	**FM-L-DUR2**
Expedition | F-Series [‘00-’02]	**FM--EXPD2**
Expedition | F Series [‘03-newer]	**FM-L-EXPD3**
Impala [‘00-’05]	**FM-L-IMP**
Impala [06-newer]	**FM-L-IMP2**

Adjustable Cup Holder

Adjustable Cup Holders can be mounted to the console box or base mounts.

Part #
FM-CUP2

Accessories

JUMP to Table of Contents

Console Box

Console Box is 14” of inside box space for communications equipment. Made of 14-gauge powder-coated steel. Complete with faceplates and filler panels.

Part #
FM-MC-14

Console Box Accessories

Filler Panel

Filler Panels fill spaces between radio and switch units while providing a finished appearance. Available in several sizes from 1/2 “ to 4”.

Part #
FM-F-1.50

Snapfit™ Faceplates

Snapfit™ Faceplates are used with the console box. These panels cover the spaces on the sides of the radio unit when stored in the console box, providing a finished look. Available in several lengths.

Part #
FM-FP-1.50

Armrests

The Adjustable Armrest mounts directly to the console box and comes in 2” wide and 4” wide

Part #
FM-ARMEXT

The Armrest mounts directly to the console box.

Part #
FM-ARM-C

Accessories [Pentax printer mounting hardware]

JUMP to Table of Contents

Pentax Printer Mount

Pentax Printer Mount is designed for use with any Pentax Pocket Jet series mobile printer. Fast-release design for fast printer docking and undocking to allow for use either in or out of vehicle. Use with roll paper. Optional Pentax Roll Holder (FM-PTX-ROL) available.

Part #
FM--PTX-CMB

Pentax Armrest Mount

Pentax Armrest Mount attaches to the pole and houses both the Pentax printer and a roll of paper. The padded arm rest lid opens to provide access to printer and paper. Entire unit flips up and back 90 degrees, similar to vehicle factory armrests. Includes a pole for mounting to the floor or base plate.

Part #	Pole length
FM--PTX-ARM	9”
FM-PTX-SH	5”

Steel Dash Mount

Steel Dash Mount is designed for use with any Pentax Pocket Jet series mobile printer. **Dash mount for the Crown Victoria only.**

Part #
FM--PTX-DSH

JUMP to Table of Contents

Direct to Battery Wiring Kit

Part #: FM-WIRPK

Direct to Battery Wiring Kit comes in a neat, professional package that is designed to ease connectivity and cut the installation time. Complete with 15 feet of vinyl-covered 12-gauge wire, the kit features a locking disconnection plug and a waterproof ATC 25-amp fuse holder. A heavy-duty 50-amp version is also available (FM-WIRPK50).

Power Supply Bracket

The Power Supply Bracket is designed to secure both hardwire and cigarette power supplies for both Dell and Panasonic computers (see below) to the vehicle's interior. The open design allows airflow while securely holding the power supply in place.

Part #: FM-BKT-PWR

Cigarette Lighter Power Supply

[for Dell]

D-Series Part # FM-PWR-DLC
E-Series Part # FM-PWR-DLC-E
XT2 XFR Tablet: Part # FM-PWR-XT2

[for Panasonic]

Part # FM-PWR-PAC

Hardwire Connection Power Supply

[for Dell]

D-Series Part # FM-PWR-DLH
E-Series Part # FM-PWR-DLH-E
XT2 XFR Tablet: Part # FM-PWR-XT2-HW

[for Panasonic]

Part # FM-PWR-PAH

POLICIES

Partnership Services

As the leading provider of integrated turn-key hardware solutions, First Mobile Technologies maintains strategic partnerships and alliances with many Fortune 500 companies to offer the highest quality equipment at the lowest prices. Additional offerings include antennas, modems, wireless components, computers, racks, lights, sirens, and more. Please contact your sales representative or contact us at 1.800.330.5399 for a complete listing. Together, we move you seamlessly through all phases of wireless integration and provide you with a total solution.

Terms of Sale

First Mobile Technologies will provide adequate consideration for an open account to all customers with approved credit. Standard credit terms are net 30. Credit will remain solely at the discretion of First Mobile Technologies. To request a credit application, please contact 1.800.330.5399 or fax a request to 1.610.828.1195.

Product may additionally be purchased with Visa, MasterCard, America Express, cash-in-advance, or C.O.D.

Pricing

Prices, specifications, and products are subject to change without notice. Possession of a price list does not guarantee pricing or product availability. First Mobile Technologies reserves the right to discontinue or modify products at anytime.

Shipping

All prices are F.O.B. factory. Freight is prepared and will be shipped in the most economic and safe method unless otherwise stated. Partial shipments will be made unless otherwise agreed upon by the purchaser. Approximate shipping costs can be provided at time of order.

Return Authorization

First Mobile Technologies must be contacted and a Returned Authorization provided prior to submitting any product or goods. The Return Authorization number must be clearly identified on the outside of the package. The return of products that were a result of customer ordering error will be subjected to a 20% restocking fee. Customer is responsible for all return shipping charges. Unauthorized returns will be refused.

WARRANTY STATEMENT

First Mobile Technologies warrants to the original purchaser of our products that at the time of purchase our products will perform to its specific ratings and will be free from defects in materials and workmanship under normal use. The warranty period shall begin at the time of delivery. First Mobile Technologies warrants its vehicle mounting equipment for five years. Docking stations and electrical parts are warranted for one year only. First Mobile Technologies will repair or replace, without charge, any of our products that fail due to defects in material or workmanship. This is the original purchaser's exclusive remedy under First Mobile Technologies' warranty.

This warranty does not apply to: failure due to damage, misuse or abuse (such as excessive force, improper installations, or application of power in excess of specific ratings). This warranty also does not apply to: damages resulting from (i) accident, neglect, negligence, vandalism, fire, riot, war, or Acts of God; (ii) structural or other modification or alteration without prior express written authorization from First Mobile Technologies; (iii) repair or attempted repair by unauthorized persons; (iv) replacement of original components with substitutes without prior written authorization from First Mobile Technologies; (v) failure to perform routine preventative maintenance as customarily accepted within the industry; or (vi) exposure to corrosives, containments, chemicals, salt or atmospheric or environmental conditions.

OTHER THAN THE WARRANTIES SET FORTH ABOVE, FIRST MOBILE TECHNOLOGIES EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED, IMPLIED OR STATUTORY, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY, WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY BY DESCRIPTION OR SAMPLE, OR ANY WARRANTY ARISING BY USAGE OF TRADE, COURSE OF DEALING, OR COURSE OF PERFORMANCE. NO AGENT OR EMPLOYEE OF FIRST MOBILE TECHNOLOGIES OR ANY OTHER PERSON IS AUTHORIZED TO ALTER OR ENLARGE THESE WARRANTIES, EXTEND ADDITIONAL WARRANTIES OR AMEND THE DISCLAIMERS SET FORTH HEREIN ON BEHALF OF FIRST MOBILE TECHNOLOGIES.

FIRST MOBILE TECHNOLOGIES' LIABILITY UNDER THIS LIMITED WARRANTY DOES NOT EXTEND TO LOSS OF TIME, INCONVENIENCE, LOSS OF USE OF A VEHICLE (OR LOSS OF PROFITS RESULTING THEREFROM); INJURY TO PROPERTY OR PERSONS, OR ANY OTHER SPECIAL, INDIRECT, CONSEQUENTIAL OR INCIDENTAL DAMAGES WHATSOEVER.

All claims under this Warranty must be submitted in writing to First Mobile Technologies within the warranty period as stated herein.

JUMP to Table of Contents

First Mobile Technologies

JUMP to Table of Contents

Our History

Founded in 1994, First Mobile Technologies provides full turnkey hardware solutions for integrating mobile computers, mounting equipment and communication systems into environments requiring rugged technology.

We are uniquely positioned to serve the public safety, utility, transportation, government, military, healthcare, manufacturing, industrial, oil and gas, and marine markets–in addition to many others.

As part of a $10+ billion organization, First Mobile Technologies has the support of strong financial and management resources to provide the latest mobile technology and equipment installations in a customer-focused environment.

First Mobile Technologies specializes in a full range of mobile and mounting hardware products that includes non-rugged and rugged mobile computers, docking stations, mount systems, communication equipment, antennas, cable, power distribution centers, proprietary voltage protection units (patent pending) and much more.

We are proud to be the only turnkey mobile computer hardware company in the industry that manages the entire process from designing and manufacturing customized hardware solutions to providing wiring and complete installation services.

In serving your needs, our turnkey approach allows for a seamless integration of not only the mobile computer solutions, but also the complete vehicle upfit package–making First Mobile Technologies unmatched in the industry.